





## ICE LINED REFRIGERATOR Make : MarkEn Mode : MILR-03





USFDA, IEC 60529-2004, IP69, ISO:45001:2018, ISO 14001:2015, ISO 9001:2015, ISO 13849-1:2015, BIFMA INTERNATIONAL, BIFMA, WHO-PQS,CE (European notified body 4 digit), ISO 13849-1:2015, ISO 13485:2016, WHO-GMP,USFDA.

Factory Add: Shed No.1, Plot No.93/2, Street No.17, Satpur, MIDC, Nashik-422007, Maharashtra. India. Contact us: Web: www.markent.co.in, Email: info@markent.co.in, Cont No.+91 9309967021



MarkEn Make Ice Lined Refrigerator (ILR) has a unique cooling technology that ensures perfect temperature control with no risk of freezing of vaccines.

With a Temperature Holdover of 24 Hours and requires only 8 hours per day of power to operate with High-tech energy management system for better Temperature control.

#### FEATURES:

- Temperatures Range: of +2°C to +8°C at Environmental Temperature up to +55°C
- It is ideal when electricity supplies are rarely perfect and standby electricity supplies may not be available.
- Designed for tropical dimates.
- Type: Compression Cycled, CFC Free (both for refrigeration and insulation) All system tubing (suction tube, freezer tube and condensing tube) made up of minimum 99.97% of pure copper coil.
- Provision of Defrosting.
- Thermostat: Additional Thermostat to prevent from freezing the vaccine.
- Designed for minimum 10 years life with assurance of spare parts availability.
- Warranty: 02 Years with service assure of 05 years.

### QUALITY STANDARDS :

ISO 9001:2015 ISO 13485: 2016 Electrical Safety Rating: IEC 60335-1 and IEC 60335-2-24 USFDA CE

### **ACCESSORIES** :

Stem Alcohol Thermometer Servo Controlled Voltage Stabilizer



USFDA, IEC 60529-2004, IP69, ISO:45001:2018, ISO 14001:2015, ISO 9001:2015, ISO 13849-1:2015, BIFMA INTERNATIONAL, BIFMA, WHO-PQS,CE (European notified body 4 digit), ISO 13849-1:2015, ISO 13485:2016, WHO-GMP,USFDA.

Factory Add: Shed No.1, Plot No.93/2, Street No.17, Satpur, MIDC, Nashik-422007, Maharashtra. India. Contact us: Web: www.markent.co.in, Email: info@markent.co.in, Cont No.+91 9309967021

# MarkEn<sup>®</sup>

Technical Specification of Ice Lined Refrigerator	
•Make	MarkEn
■Model	MILR-03
Capacity in Liter	300 Litres Gross
Type of Cabinet	Horizontal
•Color	White
<ul> <li>Outer Material of Cabinet</li> </ul>	Corrosion resistance CRCA powder coated steel
Inner Material of Cabinet	Stainless Steel 304
PUFF Insulation - CFC free	Cabinet: 100 mm
	Door : 60 mm
Ground Clearance	100 mm
•Door	Solid door with Lock-Key and handle
Inner Shelves/Basket	06 Nos.
Refrigerants	CFC-HCFC-Free non flammable refrigerants. R 134a
<ul> <li>Dimensions (LxWxH) in mm</li> </ul>	Outer: 1510x640x960
	Inner: 1310x440x670
Pull down time in with full load	12 Hrs
<ul> <li>Holdover time with full load</li> </ul>	24 Hrs
Operating Temperature Range	+2°C to +8°C adjustable with setting accuracy +0.1°C
Environmental Condition	Maximum +55°C with Humidity 5% to 95% RH
<ul> <li>Control System</li> </ul>	Fully programmable microprocessor controlled with membrane keypad and Password Protected.
<ul> <li>Temperature Monitoring System</li> </ul>	With IOT (Cloud Manage) supported.
<ul> <li>Digital temperature Display</li> </ul>	Yes
<ul> <li>Temperature uniformity</li> </ul>	±1°C or Less
•Alarms	Audible and visual alarm system for over and under temperature, sudden power failure, and battery low
Noise level	65 Db
Power Consumption rate-	Stable Running : 2.040 kWh/24 hours
	Cool Down Test: 2.30 kWh/24hours
thet reight	135 kg
Power supply Certifications:	220-240 VAC, 50 Hz <u>+</u> 10%

USFDA, IEC 60529-2004, IP69, ISO:45001:2018, ISO 14001:2015, ISO 9001:2015, ISO 13849-1:2015, BIFMA INTERNATIONAL, BIFMA, WHO-PQS,CE (European notified body 4 digit), ISO 13849-1:2015, ISO 13485:2016, WHO-GMP,USFDA.

Factory Add: Shed No.1, Plot No.93/2, Street No.17, Satpur, MIDC, Nashik-422007, Maharashtra. India. Contact us: Web: www.markent.co.in, Email: info@markent.co.in, Cont No.+91 9309967021